



LECTERN SUCCESS
MOBILE SOUND SYSTEMS

www.itec-audio.com

THE FULLY INTEGRATED SOUND SYSTEM:
microphone, lamp, mixer, amplifier, loudspeaker, battery and power supply.

 **ITEC**



ITEC



LECTERN SUCCESS

Presentable designer lectern with integrated speaker system


- Cable-free and fully independent from the power grid due to the built-in high capacity rechargeable battery
- Easy to transport when folded (only 24kg)
- Set up and ready for use in 20 seconds
- Equipped with the latest digital sound processing technology
- Powerful: sufficient for 500 listeners or more
- Simple and laymen-proof usage
- Ready for use in- and outdoors at all times
- Total freedom of movement with up to 3 wireless microphones
- A high quality speaker system to accomplish perfect events
- Known for excellent voice reproduction
- A top-quality product developed and produced in Austria



FASCINATING FUNCTIONALITY

THE ENTIRE SOUND SYSTEM IS READY FOR USE IN 20 SECONDS

Place, open, activate! That is how fast the lectern – and thus the entire sound system – is set up. Two microphones attached to the lectern allow for great freedom of movement and the wireless microphones enable the lecturer to involve the audience during discussions. The ITEC LECTERN SUCCESS is the system of choice for commemorative speeches, podium discussions...



CARRY

If folded, the lectern can be carried with one hand. Your personal sound system is always at your side.

PLACE

You can turn the handy package into a firm and presentable lectern in just a few steps.

ACTIVATE

Audio system and power supply are built-in. You do not need cables; you are not dependant on power plugs. Plug in the microphones, switch-on the lectern - that's it.

SPEAK

Not even half a minute has past. The sound system is ready for use with optimal configuration. The speech can begin.

CABLEFREE AND INDEPENDENT



Independence from the power grid! This leads to trouble-free handling without preparations anytime, everywhere - even outdoors.

Take advantage of the total freedom of movement achieved by adding up to 3 wireless microphones to your lectern. (see page 6)

EASY HANDLING

SURPRISINGLY MULTIFUNCTIONAL - EASIEST HANDLING

AUTOMATIC MODE

Switch to automatic mode with the push of a button, and the sound system of the lectern adjusts itself to the room size, acoustic circumstances and the audience without any interaction.

PREDEFINED SETTINGS

It is equally simple to choose from predefined sound settings. Again, one keystroke is sufficient.

Two default settings are defined when the lectern leaves the factory: One for use indoors and one for use outdoors. More settings can be defined as requested by your dealers technicians.

MANUAL ADJUSTMENT

The clear cut mixer view on the touch-screen display allows for full control over all microphones and auxiliary input streams at any time.



TOUCH-SCREEN HANDLING – CLEAR CUT, INFORMATIVE, MULTIFUNCTIONAL



Simple and clear cut menu navigation



Access to all microphone volume adjustments via the virtual mixer



Bass and treble control for auxiliary input streams



One out of many features: The stopwatch keeps track of the talk time



Clear cut display of all input and output levels



Display of the current battery levels, calculation of the remaining capacity

STRONG FEATURES

ITEC WIRELESS MICROPHONES AT YOUR DISPOSAL

Hand-held microphone



Lavalier microphone



Headset microphone



HIGH-END MICROPHONES: JUST PLUG IT

Gooseneck microphones



Microphone set PA-7A comprising an elegant gooseneck microphone. It is ideal for readings and lectures offering a comfortable pick-up distance.

The **EM-300** is an all-purpose microphone with excellent polar pattern. It is a high-end product to use for speech, singing and music.

ITEC EM-300 microphone



THE BEST CHOICE FOR YOUR PANEL-DISCUSSIONS: THE [ITEC CONFERENCE-SET](#)

ITEC Conference-Set




Usually, multiple microphones are used in conferences or panel discussions. The usage of multiple microphones adds to the danger of acoustic feedback and noise. **MICRO-MIX 4** is your personal sound engineer in a black box – all issues are taken care of automatically.

ITEC MICRO-MIX 4 is the smallest automatic mixer world-wide. The microphone in use is detected automatically and the levels of all other microphones are reduced.



REMOTE CONTROL

ITEC SUCCESS-REMOTE



You can manage your lectern using the fully digital touch-screen remote. Due to state-of-the-art radio transmission, the range can be extended to up to 100m, even without direct line of sight. You have access to all features of the display like checking the charging level of the battery, to mention only one.

A FUTURE-PROOF CONCEPT

ADDITIONAL SOUND REINFORCEMENT

You can multiply the acoustic power of your lectern by using additional ITEC ACTIV-BOXes. The ITEC ACTIV-BOX is a speaker system with built-in amplifier and rechargeable battery. You may achieve signal transmission from the lectern to the speaker systems using an audio cable or a radio link.

CABLE CONNECTION




RADIO LINK




THE PERFECT SYNERGY WITH SOUND SYSTEMS IN HALLS

The LECTERN SUCCESS can be superbly combined with existing sound reinforcement systems in halls and halls that are going to be built. A balanced line out connector is available for integrating the lectern into the existing sound reinforcement system. You can even manage a complex media landscape directly from your lectern, as it is equipped with a standardized RS-232 interface to link it to control devices for the light, dimming and projection systems, to mention just a few. You also have the option to add a wireless interface to your lectern.



LECTERN SUCCESS - SPECIFICATIONS



GENERAL	
Amplifier W/ RMS Power	75
2 low-mid range speakers 6.5 inch	
CD-hornspeaker 1"	
High capacity rechargeable battery	12 Volt, 7,2 Ah, maintenance free
Lade-/Netzteil	Built-in charger and power supply unit with processor controlled charging system
2 electret condenser gooseneck microphones	
Halogen reading lamp	
Dimensions	1200 x 840 x 540 mm positioned 1200 x 240 x 540 mm folded
Weight kg	24
CONNECTORS	
Input	Mic-In (XLR connector, symmetric, 12V phantom power) Line-In (Stereo-Cinch)
Output	Balanced-Out (XLR) Line-Out (Stereo-Cinch)
Interfaces	RS-232 PC (Configuration) RS-232 Remote (Remote Control)
SPECIAL FEATURES	
Virtual mixer on the touch screen display	
Up to 6 volume controls	
Bass and treble controls	for input streams
DSP (digital signal processing)	programmable via a PC
5 input equalizers	4 bands parametric
3 output equalizers	12 bands parametric
Compressor / Limiter	
Automatic volume adjustment	
Voice controlled microphone switching	
Memory for 4 full sets of configurations	